





COOK MFG

ENCLOSED PAINT BOOTH BROCHURE



Backed by a
1 Year
Manufacturer's
Warranty



Engineered for
Demanding
Applications



Easy Nut and Bolt
Assembly



Cost Effective Modular
and Expandable Design

STANDARD CONSTRUCTION:

- Modular design with pre-punched panels for nut and bolt assembly
- Heavy Duty 18 Ga G90 Galvanized Steel Panels

OPTIONAL CONSTRUCTION:

- White powder coated panels
- Double wall insulated panels

CUSTOMIZATION:

- Openings for conveyors and cranes
- Front doors (filtered / solid)

TUBE AXIAL FAN:

- Non sparking polypropylene blade with aluminum hub
- Totally Enclosed Fan Cooled or TEFC motor mounted outside of the air stream
- Dual heavy-duty pillow block bearings
- Durable powder coated finish

FILTRATION:

- Filter grid with 20" X 20" openings
- Fiberglass filters with snap in holding grids

CONTROLS:

- Manometer
 - Measures pressure differential and indicates when to change filters
- Optional variable speed controller
- Optional controls package

LIGHTING:

- Ordinary, hazardous, and explosion proof options
- Fluorescent and LED options



COMPLIANCE:

- Meets or exceeds NFPA 33 and OSHA 1910 requirements.

ACCESSORIES:

- Access doors
- Control package / VFD
- Ductwork
- Air make up units

NAMING CONVENTION:

EN – W – 120 – 084 – 084 – T - 1

TYPE

- Enclosed

APPLICATION

- Wet or Powder

WIDTH (In)

- Working Width

HEIGHT (In)

- Working Height

DEPTH (In)

- Working Depth

MOTOR

- TEFC or Explosion Proof

PHASE

- 1 or 3

