




COOK MFG

EXHAUST POWDER WALL BROCHURE



Backed by a
1 Year
Manufacturer's
Warranty



Engineered for
Demanding
Applications



Easy Nut and Bolt
Assembly



Cost Effective Modular
and Expandable Design

OVERVIEW:

- Exhaust walls are a cost-effective option to start painting.
- Modular design allows for an enclosure to be added later turning the exhaust wall into a traditional paint booth.

STANDARD CONSTRUCTION:

- Heavy Duty 18 Ga G90 Galvanized Steel Panels

OPTIONAL CONSTRUCTION:

- White powder coated panels

CUSTOMIZATION:

- Exhaust location (Top, Rear, Side)
- Openings for conveyors and cranes

TUBE AXIAL FAN:




- Non sparking polypropylene blade with aluminum hub
- Totally Enclosed Fan Cooled or TEFC motor mounted outside of the air stream
- Dual heavy-duty pillow block bearings
- Durable powder coated finish

3 STAGE FILTRATION:


- Stage 1 – Pre Filter
 - Polyester Pad & Holding Grid
- Stage 2 – Bag Filter
 - 6 Pocket Synthetic Bag Filter
- Stage 3 – (Optional) – Filter Box
 - Diffuser Assembly (DFA)
 - Cost effective option for occasional powder coating
 - Final Filter Assembly (FFA)
 - Heavy duty option for industrial use

CONTROLS:

- Manometer
 - Measures pressure differential and indicates when to change filters
- Optional variable speed controller
- Optional controls package



Final Filter Assembly
(FFA)



Diffuser Assembly
(DFA)

ACCESSORIES:

- Control package / VFD
- Ductwork

COMPLIANCE:

- Meets or exceeds NFPA 33 and OSHA 1910 requirements

NAMING CONVENTION:

