





COOK MFG


POWDER COAT BOOTH BROCHURE



Large Equipment




Enclosed



Open Face



Exhaust Wall



Bench



Table Top



Backed by 1 Year
Manufacturer's
Warranty



Engineered for
Demanding
Applications



Easy Nut and Bolt
Assembly



Cost Effective Modular
and Expandable Design

STYLES:

- Open Face
- Bench
- Table Top
- Down Draft
- Large Equipment
- Exhaust Wall

AIR FLOW OPTIONS:

- Cross Draft
- Down Draft
- Semi Down Draft
- Side Down Draft

STANDARD CONSTRUCTION:

- Modular design with pre-punched panels for nut and bolt assembly
- Heavy Duty 18 Ga G90 Galvanized Steel Panels

OPTIONAL CONSTRUCTION:


- Stainless steel panels
- Double wall insulated panels

CUSTOMIZATION:

- Exhaust fan location (Top, Rear, Side)
- Openings for conveyors and cranes




TUBE AXIAL FAN:

- Non sparking polypropylene blade with aluminum hub
- Totally Enclosed Fan Cooled or TEFC motor mounted outside the air stream
- Dual heavy-duty pillow block bearings
- Durable powder coated finish



3 STAGE FILTRATION:

- Stage 1 – Pre Filter
 - Polyester Pad & Holding Grid
- Stage 2 – Bag Filter
 - 6 Pocket Synthetic Bag Filter
- Stage 3 – (Optional) – Filter Box
 - Diffuser Assembly (**DFA**)
 - Cost effective option for occasional powder coating
 - Final Filter Assembly (**FFA**)
 - Heavy duty option for industrial use



Final Filter Assembly
(**FFA**)

Diffuser Assembly
(**DFA**)

CONTROLS:

- Manometer
 - Measures pressure differential and indicates when to change filters
- Optional motor starter package
- Optional VFD package
- Optional full controls package



LIGHTING:

- Fluorescent and LED options
- UL & ETL Listed

COMPLIANCE:

- Meets or exceeds NFPA 33 and OSHA 1910 requirements

ACCESSORIES:

- Front doors (filtered / solid)
- Access doors
- Control package / VFD
- Ductwork
- Air make-up units

