



POWDER COAT BOOTHS



COOK MANUFACTURING



Large Equipment



Enclosed



Open Face



Exhaust Wall




Bench



Table Top



Backed by 1 Year
Manufacturer's
Warranty



Engineered for
Demanding
Applications



Easy Nut and Bolt
Assembly



Cost Effective Modular
and Expandable Design

Rev: A

Date: 1/1/2021

Phone: 231-832-3551

Email: sales@cookmfg.com

Web: cookmfg.com



STYLES:

- Open Face
- Bench
- Table Top
- Down Draft
- Large Equipment
- Exhaust Walls

AIR FLOW OPTIONS:

- Cross Draft
- Down Draft
- Semi Down Draft
- Side Down Draft

STANDARD CONSTRUCTION:

- Modular design with pre-punched panels for nut and bolt assembly
- Heavy Duty 18 Ga G90 Galvanized Steel Panels

OPTIONAL CONSTRUCTION:


- White powder coated panels
- Double wall insulated panels

CUSTOMIZATION:

- Openings for conveyors and cranes

TUBE AXIAL FAN:

- Non sparking polypropylene blade with aluminum hub
- Standard TEFC or totally enclosed fan cooled motor
- Dual heavy-duty pillow block bearings
- Durable powder coated finish



POWDER COAT BOOTHS



COOK MANUFACTURING

3 STAGE FILTRATION:

- The three-stage filtration system is used to recirculate the exhaust back into the building. Only stage 1 & 2 are used when exhausting to the outside.
 - Stage 1 – Polyester pad & holding grid
 - Stage 2 – 6 Pocket bag filter
 - Stage 3 – Final filter assembly



CONTROLS:

- Manometer
 - Measures pressure differential and indicates when to change filters
- Optional variable speed controller
- Optional controls package



LIGHTING:

- Ordinary, hazardous, and explosion proof options
- Fluorescent and LED options



COMPLIANCE:

- Meets or exceeds NFPA 33 and OSHA 1910 requirements



ACCESSORIES:

- Front doors (filtered / solid)
- Access doors
- Control package / VFD
- Ductwork
- Air make-up units

