






NOTES:

1. ENCLOSURE CONSTRUCTED FROM 18 GA G90 GALVANIZED STEEL.
2. ASSEMBLE ENCLOSURE USING 5/16-18 X 3/4 SPIN LOCK BOLTS AND NUTS.
3. ASSEMBLE PLENUM GRID WORK USING #8-18 X 1/2 SELF DRILLING SCREWS.
4. INSTALL LIGHT FIXTURE USING 1/4-14 X 3/4 SELF DRILLING SCREWS.
5. SECURE TO FLOOR USING 3/8 CONCRETE ANCHORS EVERY 18" AROUND THE ENTIRE PERIMETER. ANCHORS SUPPLIED BY CUSTOMER.
6. CAULK ALL SEAMS AND AROUND FLOOR USING A WATER BASED SEALANT.
7. REFERENCE MANUAL FOR COMPLETE INSTALLATION INSTRUCTIONS.

AUTHOR TCOOK		REV DATE 8/16/2024		 COOK MANUFACTURING		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES				TITLE		
TOLERANCES 3 PLACES ± .020 2 PLACES ± .060 HOLES ± .010 FRACTIONS ± .125 ANGLES ± 2°  THIRD ANGLE PROJECTION		4' X 7' X 3' OPEN FACE PAINT BOOTH				
		SIZE B	DWG NO OFW048084036.idw			REV D
		SCALE 1/14				SHEET 1 OF 6




AUTHOR TCOOK		REV DATE 8/16/2024		 <i>COOK MANUFACTURING</i>		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES						
TOLERANCES 3 PLACES ± .020 2 PLACES ± .060 HOLES ± .010 FRACTIONS ± .125 ANGLES ± 2°  THIRD ANGLE PROJECTION		TITLE				
		4' X 7' X 3' OPEN FACE PAINT BOOTH				
		SIZE B	DWG NO OFW048084036.idw		REV D	
		SCALE 1/17			SHEET 2 OF 6	



D:\Engineering\Inventor\Cook Mfg\Workspace\Paint Booths\Open Face\OFW048084036.iam

AUTHOR TCOOK		REV DATE 8/16/2024		 <i>COOK MANUFACTURING</i>		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES				TITLE		
TOLERANCES 3 PLACES ± .020 2 PLACES ± .060 HOLES ± .010 FRACTIONS ± .125 ANGLES ± 2°  THIRD ANGLE PROJECTION		4' X 7' X 3' OPEN FACE PAINT BOOTH				
		SIZE B	DWG NO OFW048084036.idw			REV D
		SCALE 1/15	SHEET 3 OF 6			



AUTHOR TCOOK		REV DATE 8/16/2024		 <i>COOK MANUFACTURING</i>		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES				TITLE		
TOLERANCES 3 PLACES ± .020 2 PLACES ± .060 HOLES ± .010 FRACTIONS ± .125 ANGLES ± 2°  THIRD ANGLE PROJECTION		4' X 7' X 3' OPEN FACE PAINT BOOTH				
		SIZE B	DWG NO OFW048084036.idw		REV D	
		SCALE 1/10			SHEET 4 OF 6	

4

3

2

1

ENCLOSURE ONLY


PANEL TRIM IS USED TO CONNECT
REAR WALL AND ROOF PANELS

16

11

7

DETAIL A
SCALE 1/2



AUTHOR TCOOK		REV DATE 8/16/2024		 <i>COOK MANUFACTURING</i>		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES				TITLE		
TOLERANCES 3 PLACES ± .020 2 PLACES ± .060 HOLES ± .010 FRACTIONS ± .125 ANGLES ± 2°  THIRD ANGLE PROJECTION		4' X 7' X 3' OPEN FACE PAINT BOOTH				
		SIZE B	DWG NO OFW048084036.idw			REV D
		SCALE 1/15				SHEET 5 OF 6

4

3

2

1

4

3

2

1

↓

↓

PARTS LIST					
ITEM	QTY	PART NUMBER	DESCRIPTION	INSPECTOR	QTY SHIPPED
1	8	025-202	XHD FIBERGLASS PAINT ARRESTOR - 22G - 20" X 20" X 2-1/2"		
2	8	078-002	FILTER HOLDING GRID - 20 X 20		
3	1	ABT18	18 TUBE AXIAL FAN		
4	1	AC0005	3' LIGHT FIXTURE - T8 25W 2 LAMP - NO BULBS		
5	2	BPD024084	24 X 84 DOUBLE FLANGED PANEL		
6	2	BPD036084	36 X 84 DOUBLE FLANGED PANEL		
7	2	BPD042052	42 X 52 DOUBLE FLANGED PANEL		
8	1	BPL036052	36 X 52 DOUBLE FLANGED LIGHT PANEL - 3' FIXTURE		
9	4	BPT024	24" PANEL TRIM		
10	4	BPT036	36" PANEL TRIM		
11	2	BPT048	48" PANEL TRIM		
12	2	BVP006084	6 X 84 VERTICAL PLENUM PANEL		
13	6	DT0200	19.75 DIVIDER		
14	1	DT0800	79.75 DIVIDER		
15	1	FAF048	FIRE GUARD ASSEMBLY - 48 LONG		
16	1	FPA024052018	24 X 52 FAN PANEL ASSY - 18 FAN		
17	50	HW0001	#8-18 X 1/2 SELF DRILLING SCREW - ZINC		
18	10	HW0003	1/4-14 X 3/4 SELF DRILLING SCREW - ZINC		
19	175	HW0009	5/16-18 X 3/4 SPIN LOCK BOLT		
20	175	HW0010	5/16-18 SPIN LOCK NUT		
21	1	MLA0001	MANOMETER LABEL ASSEMBLY		
22	1	AC0007	DWYER MARK II MANOMETER		
23	1	SHP004042	4 X 42 HORIZONTAL PLENUM		
24	1	SI0011	SEALANT		

→

←

A

B

↑

↓

AUTHOR
TCOOK

REV DATE
8/16/2024

UNLESS OTHERWISE SPECIFIED
DIMENSIONS ARE IN INCHES

TOLERANCES
3 PLACES ± .020
2 PLACES ± .060
HOLES ± .010
FRACTIONS ± .125
ANGLES ± 2°

⊕

⊞

THIRD ANGLE
PROJECTION

COOK MANUFACTURING

TITLE

SIZE
B

DWG NO
OFW048084036.idw

REV
D

SCALE

SHEET 6 OF 6

4

3

2

1